

Author Index

Volume 9

- Ailstock MS, 49
Bak RPM, 432
Block WM, 293
Bradshaw A, 339
Brennan LA, 13
Brooks CN, 1
Brouwer E, 155
Brown CS, 38
Bruun K, 137
Bugg RL, 38
Bushmann PJ, 49
Clements AM, 104
Comín FA, 201
Cook E, 111
Cornett MW, 386
Covington WW, 421, 443
Davis PW, 304
de Gruchy MA, 311
Epstein N, 432
Everts H, 137
Ewing K, 280
Fattorini M, 119
Franklin AB, 293
Franz R, 462
Frelich LE, 386
Fresco L, 137
Fulé PZ, 421
Galley KEM, 13
Ganey JL, 293
George TL, 272
Gerrath JA, 311
Gordon DR, 13
Grootjans AbP, 115, 137, 209
Hardesty JL, 13
Harris JA, 115, 239
Hart SC, 421
Hernández O, 201
Herring BJ, 13
Herron GJ, 326
Hobbs RJ, 239
Holmes PM, 71
Hüttl RF, 339
Jacobsen JS, 326
Jim CY, 85
Keulartz J, 230
Klötzli F, 209
Lan CY, 378
Larson W, 311
Litt AR, 462
Lukešová A, 341
Marrs H, 397
Marzluff JM, 280
Matthes U, 311
Maun MA, 60
Maxwell BD, 326
Menéndez M, 201
Merenlender AM, 1
Meyer CL, 443, 453
Middleton B, 247
Morrison ML, 251
Norman CM, 49
Noss RF, 476
Nováková A, 351
Owen KM, 397
Patzelt A, 127
Perretta C, 304
Pfadenhauer J, 127, 220
Piazzi L, 332
Pižl V, 359
Powell EA, 95
Procaccini G, 332
Provancher L, 13, 462
Puettmann KJ, 386
Raemakers I, 179
Reich PB, 386
Rinkevich B, 432
Rodgers HL, 13
Roelofs JGM, 155
Romero JA, 201
Rowland J, 60
Rumbold DG, 304
Růžek L, 370
Schoenholtz SH, 189
Schweitzer CJ, 189
Scott TA, 262
Shaffer K, 475
Sheley RL, 326
Shepard JP, 189
Shu WS, 378
Sisk TD, 443, 453
Sixta J, 370
Smale MC, 28
Smale PN, 28
Smallwood KS, 253
Smith REN, 167
Sparks RE, 112
Stanturf JA, 189
Swart JAA, 230
Tajovský K, 365
Tallowin JRB, 167
Tanner GW, 13, 462
van der Windt HJ, 230
van Diggelen R, 115
Voríšek K, 370
Walker LR, 95
WallisDeVries MF, 179
Ward JP Jr, 293
Weaver RP, 421
Wehtje M, 262
Wehtje W, 262
Whaley PT, 28
White GC, 293
Whitford WG, 249
Wild U, 127
Willem JH, 147
Willett TR, 410
Windsor DM, 104
Wong MH, 378
Zack S, 272
Zhang ZQ, 378

Subject Index

Volume 9

Afforestation; see Forests

Air temperature

Butterfly response to microclimatic conditions following ponderosa pine restoration (Meyer and Sisk), 453

Microclimatic changes induced by ecological restoration of ponderosa pine forest in northern Arizona (Meyer et al), 443

Algae

Soil algae in brown coal and lignite post-mining areas in central Europe (Czech Republic and Germany) (Lukešová), 341

Animals

Design and implementation of monitoring studies to evaluate the success of ecological restoration on wildlife (Block et al), 293
Estimating the effects of beach nourishment on *Caretta caretta* (loggerhead sea turtle) nesting (Rumbold et al), 304

Introduction: concepts of wildlife and wildlife habitat for ecological restoration (Morrison), 251

Linking habitat restoration to meaningful units of animal demography (Smallwood), 253

The need for strategic planning in passive restoration of wildlife populations (Scott et al), 262

Spatial and temporal considerations in restoring habitat for wildlife (George and Zack), 272

Arizona

Butterfly response to microclimatic conditions following ponderosa pine restoration (Meyer and Sisk), 453

Microclimatic changes induced by ecological restoration of ponde-

rosa pine forest in northern Arizona (Meyer et al), 443

Arthropods

Spiders and other arthropods as indicators in old-growth versus logged redwood stands (Willet), 410

Beaches

Estimating the effects of beach nourishment on *Caretta caretta* (loggerhead sea turtle) nesting (Rumbold et al), 304

Birds

Restoration of fragmented landscapes for the conservation of birds: a general framework and specific recommendations for urbanizing landscapes (Marzluff and Ewing), 280

Restoration of wetlands from abandoned rice fields for nutrient removal, and biological community and landscape diversity (Comín et al), 201

Bluebunch wheatgrass

Influence of nutrient availability on the interaction between spotted knapweed and bluebunch wheatgrass (Herron et al), 326

Book reviews

A Case for Wetland Restoration, by Hey and Phillipi (Middleton), 247

Landscape Restoration Handbook, Second Edition, by Harker et al (Cook), 111

Precious Heritage: The Status of Biodiversity in the United States, edited by Stein et al (Noss), 476

Prescribed Burning in California Wildlands Vegetation Management, by Biswell (Shaffer), 475

Repairing Damaged Wildlands: A Process-Oriented, Landscape-Scale Approach, by Whisenant (Whitford), 249

Wetland Restoration, Flood Pulsing, and Disturbance Dynamics, by Middleton (Sparks), 112

Bottomlands

Achieving restoration success: myths in bottomland hardwood

forests (Stanturf et al), 189

Bracken litter

The use of mixtures of sulfur and bracken litter to reduce pH of former arable soils and control ruderal species (Owen and Marrs), 397

Brown coal mining; see Coal mining

Butterflies

Butterfly response to microclimatic conditions following ponderosa pine restoration (Meyer and Sisk), 453

Does extensive grazing benefit butterflies in coastal dunes? (Wallis-DeVries and Raemakers), 179

California

Determining the pattern of oak woodland regeneration for a cleared watershed in northwest California: a necessary first step for restoration (Brooks and Merenlender), 1

Effects of established perennial grasses on introduction of native forbs in California (Brown and Bugg), 38

Soil water retention on gold mine surfaces in the Mojave Desert (Walker and Powell), 95

Carbon

Microbial biomass-c in reclaimed soil of the Rhineland (Germany) and the north Bohemian lignite mining areas (Czech Republic): measured and predicted values (Růžek et al), 370

Caretta caretta

Estimating the effects of beach nourishment on *Caretta caretta* (loggerhead sea turtle) nesting (Rumbold et al), 304

Chalk grasslands

Problems, approaches, and results in restoration of Dutch calcareous grassland during the last 30 years (Willems), 147

Cirsio-Molinietum

Restoration of a *Cirsio-Molinietum* fen meadow on an agriculturally improved pasture (Tallowin and Smith), 167

Cirsium pitcheri

Restoration ecology of an endangered plant species: establishment of new populations of *Cirsium pitcheri* (Rowland and Maun), 60

Coal mining

Colonization of colliery spoil heaps by millipedes (Diplopoda) and terrestrial isopods (Oniscidea) in the Sokolov Region, Czech Republic (Tajovský), 365

Earthworm succession in afforested colliery spoil heaps in the Sokolov Region, Czech Republic (Pižl), 359

Microbial biomass-c in reclaimed soil of the Rhineland (Germany) and the north Bohemian lignite mining areas (Czech Republic): measured and predicted values (Růžek et al), 370

Soil algae in brown coal and lignite post-mining areas in central Europe (Czech Republic and Germany) (Lukešová), 341

Coastal dunes

Does extensive grazing benefit butterflies in coastal dunes? (Wal-lisDeVries and Raemakers), 179

Colliery spoil heaps

Colonization of colliery spoil heaps by millipedes (Diplopoda) and terrestrial isopods (Oniscidea) in the Sokolov Region, Czech Republic (Tajovský), 365

Earthworm succession in afforested colliery spoil heaps in the Sokolov Region, Czech Republic (Pižl), 359

Common reed

Common reed *Phragmites australis*: control and effects upon biodiversity in freshwater nontidal wetlands (Ailstock et al), 49

Conceptual frameworks

Restoration ecology: repairing the Earth's ecosystems in the new millennium (Hobbs and Harris), 239

Coral reefs

Strategies for gardening denuded coral reef areas: the applicability of using different types of coral material for reef restoration (Epstein et al), 432

Correction

Does extensive grazing benefit butterflies in coastal dunes? (Wal-lisDeVries and Raemakers) (2001; 9:179), 478

Cyanobacteria

Soil algae in brown coal and lignite post-mining areas in central Europe (Czech Republic and Germany) (Lukešová), 341

Czech Republic

Colonization of colliery spoil heaps by millipedes (Diplopoda) and terrestrial isopods (Oniscidea) in the Sokolov Region, Czech Republic (Tajovský), 365

Earthworm succession in afforested colliery spoil heaps in the Sokolov Region, Czech Republic (Pižl), 359

Ecology of post-mining landscapes (Hüttl and Bradshaw), 339

Microbial biomass-c in reclaimed soil of the Rhineland (Germany) and the north Bohemian lignite mining areas (Czech Republic): measured and predicted values (Růžek et al), 370

Soil algae in brown coal and lignite post-mining areas in central Europe (Czech Republic and Germany) (Lukešová), 341

Soil microfungi in two post-mining chronosequences with different vegetation types (Nováková), 351

Demography

Linking habitat restoration to meaningful units of animal demography (Smallwood), 253

Deserts

Soil water retention on gold mine surfaces in the Mojave Desert (Walker and Powell), 95

Dunes

Does extensive grazing benefit butterflies in coastal dunes? (Wal-lisDeVries and Raemakers), 179

Restoration of wet dune slacks on the Dutch Wadden Sea Islands: recolonization after large-scale sod cutting (Grootjans et al), 137

Dutch Wadden Sea Islands

Restoration of wet dune slacks on the Dutch Wadden Sea Islands:

recolonization after large-scale sod cutting (Grootjans et al), 137

Earthworms

Earthworm succession in afforested colliery spoil heaps in the Sokolov Region, Czech Republic (Pižl), 359

Ecological restoration; see Restoration ecology

Endangered species

Restoration ecology of an endangered plant species: establishment of new populations of *Cirsium pitcheri* (Rowland and Maun), 60

Erratum

Does extensive grazing benefit butterflies in coastal dunes? (Wal-lisDeVries and Raemakers) (2001; 9:179), 478

Ethics

Valuation of nature in conservation and restoration (Swart et al), 230

Fen species

Restoration of a *Cirsio-Molinietum* fen meadow on an agriculturally improved pasture (Tallowin and Smith), 167

Restoration of wet fen meadows by topsoil removal: vegetation development and germination biology of fen species (Patzelt et al), 127

Fertilizers

Shrubland restoration following woody alien invasion and mining: effects of topsoil depth, seed source, and fertilizer addition (Holmes), 71

Fire

Modeling ecological restoration effects on ponderosa pine forest structure (Covington et al), 421

Florida

Effects of hardwood reduction techniques on longleaf pine sandhill vegetation in northwest Florida (Provencher et al), 13

Herpetofaunal responses to restoration treatments of longleaf pine sandhills in Florida (Litt et al), 462

Forbs

Effects of established perennial grasses on introduction of native

- forbs in California (Brown and Bugg), 38
- Forests**
- Achieving restoration success: myths in bottomland hardwood forests (Stanturf et al), 189
 - Butterfly response to microclimatic conditions following ponderosa pine restoration (Meyer and Sisk), 453
 - Comparing the importance of seedbed and canopy type in the restoration of upland *Thuja occidentalis* forests of northeastern Minnesota (Cornett et al), 386
 - Determining the pattern of oak woodland regeneration for a cleared watershed in northwest California: a necessary first step for restoration (Brooks and Merenlender), 1
 - Earthworm succession in afforested colliery spoil heaps in the Sokolov Region, Czech Republic (Pižl), 359
 - Ecological restoration of native forest at Aratiatia, North Island, New Zealand (Smale et al), 28
 - Microclimatic changes induced by ecological restoration of ponderosa pine forest in northern Arizona (Meyer et al), 443
 - Modeling ecological restoration effects on ponderosa pine forest structure (Covington et al), 421
 - Spiders and other arthropods as indicators in old-growth versus logged redwood stands (Willett), 410
- Fungi**
- Soil microfungi in two post-mining chronosequences with different vegetation types (Nováková), 351
- Germany**
- Ecology of post-mining landscapes (Hüttl and Bradshaw), 339
 - Microbial biomass-C in reclaimed soil of the Rhineland (Germany) and the north Bohemian lignite mining areas (Czech Republic): measured and predicted values (Růžek et al), 370
 - Soil algae in brown coal and lignite post-mining areas in central Europe (Czech Republic and Germany) (Lukešová), 341
- Soil microfungi** in two post-mining chronosequences with different vegetation types (Nováková), 351
- Some remarks on the socio-cultural background of restoration ecology (Pfadenhauer), 220
- Gold mining**
- Soil water retention on gold mine surfaces in the Mojave Desert (Walker and Powell), 95
- Granite quarries**
- Ecological and landscape rehabilitation of a quarry site in Hong Kong (Jim), 85
- Grasses**
- Common reed *Phragmites australis*: control and effects upon biodiversity in freshwater nontidal wetlands (Ailstock et al), 49
 - Effects of established perennial grasses on introduction of native forbs in California (Brown and Bugg), 38
 - Genetic polymorphism and transplantation success in the Mediterranean seagrass *Posidonia oceanica* (Procaccini and Piazzi), 332
 - A germination and establishment field trial of *Themeda australis* (Kangaroo grass) for mine site restoration in the Central Tablelands of New South Wales (Windsor and Clements), 104
 - Influence of nutrient availability on the interaction between spotted knapweed and bluebunch wheatgrass (Herron et al), 326
- Grasslands**
- Problems, approaches, and results in restoration of Dutch calcareous grassland during the last 30 years (Willems), 147
- Grazing**
- Does extensive grazing benefit butterflies in coastal dunes? (WallisDeVries and Raemakers), 179
- Habitat**
- Design and implementation of monitoring studies to evaluate the success of ecological restoration on wildlife (Block et al), 293
 - Does extensive grazing benefit butterflies in coastal dunes? (WallisDeVries and Raemakers), 179
- Herpetofaunal responses to restoration treatments of longleaf pine sandhills in Florida (Litt et al), 462
- Introduction: concepts of wildlife and wildlife habitat for ecological restoration (Morrison), 251
- Linking habitat restoration to meaningful units of animal demography (Smallwood), 253
- The need for strategic planning in passive restoration of wildlife populations (Scott et al), 262
- Restoration of fragmented landscapes for the conservation of birds: a general framework and specific recommendations for urbanizing landscapes (Marzluff and Ewing), 280
- Spatial and temporal considerations in restoring habitat for wildlife (George and Zack), 272
- Herpetofaunal community**
- Herpetofaunal responses to restoration treatments of longleaf pine sandhills in Florida (Litt et al), 462
- Hong Kong**
- Ecological and landscape rehabilitation of a quarry site in Hong Kong (Jim), 85
- International Conference**
- Achieving restoration success: myths in bottomland hardwood forests (Stanturf et al), 189
 - Degraded softwater lakes: possibilities for restoration (Brouwer and Roelofs), 155
 - Does extensive grazing benefit butterflies in coastal dunes? (WallisDeVries and Raemakers), 179
 - Ecological restoration: state of the art or state of the science? (van Diggelen et al), 115
 - Establishment of transplants on machine-graded ski runs above timberline in the Swiss Alps (Fattorini), 119
 - Problems, approaches, and results in restoration of Dutch calcareous grassland during the last 30 years (Willems), 147
 - Restoration ecology: repairing the

- Earth's ecosystems in the new millennium** (Hobbs and Harris), 239
- Restoration of a *Cirsio-Molinietum* fen meadow on an agriculturally improved pasture** (Tallowin and Smith), 167
- Restoration of natural and semi-natural wetland systems in Central Europe: progress and predictability of developments** (Klötzli and Grootjans), 209
- Restoration of wet dune slacks on the Dutch Wadden Sea Islands: recolonization after large-scale sod cutting** (Grootjans et al), 137
- Restoration of wet fen meadows by topsoil removal: vegetation development and germination biology of fen species** (Patzelt et al), 127
- Restoration of wetlands from abandoned rice fields for nutrient removal, and biological community and landscape diversity** (Comín et al), 201
- Some remarks on the socio-cultural background of restoration ecology** (Pfadenhauer), 220
- Valuation of nature in conservation and restoration** (Swart et al), 230
- Islands**
- Restoration of wet dune slacks on the Dutch Wadden Sea Islands: recolonization after large-scale sod cutting** (Grootjans et al), 137
- Kangaroo grass**
- A germination and establishment field trial of *Themeda australis* (Kangaroo grass) for mine site restoration in the Central Tablelands of New South Wales (Windsor and Clements)**, 104
- Lakes**
- Degraded softwater lakes: possibilities for restoration** (Brouwer and Roelofs), 155
- Lead**
- Soil seed bank as an input of seed source in revegetation of lead/zinc mine tailings** (Zhang et al), 378
- Light intensity**
- Butterfly response to microclimatic conditions following pon-**
- derosa pine restoration** (Meyer and Sisk), 453
- Microclimatic changes induced by ecological restoration of ponderosa pine forest in northern Arizona** (Meyer et al), 443
- Lignite mining**
- Microbial biomass-c in reclaimed soil of the Rhineland (Germany) and the north Bohemian lignite mining areas (Czech Republic): measured and predicted values** (Růžek et al), 370
- Soil algae in brown coal and lignite post-mining areas in central Europe (Czech Republic and Germany)** (Lukešová), 341
- Loggerhead sea turtle**
- Estimating the effects of beach nourishment on *Caretta caretta* (loggerhead sea turtle) nesting** (Rumbold et al), 304
- Longleaf pine trees**
- Effects of hardwood reduction techniques on longleaf pine sandhill vegetation in northwest Florida** (Provencher et al), 13
- Herpetofaunal responses to restoration treatments of longleaf pine sandhills in Florida** (Litt et al), 462
- Macrophytes**
- Degraded softwater lakes: possibilities for restoration** (Brouwer and Roelofs), 155
- Restoration of wetlands from abandoned rice fields for nutrient removal, and biological community and landscape diversity** (Comín et al), 201
- Meadows**
- Restoration of a *Cirsio-Molinietum* fen meadow on an agriculturally improved pasture** (Tallowin and Smith), 167
- Restoration of wet fen meadows by topsoil removal: vegetation development and germination biology of fen species** (Patzelt et al), 127
- Mediterranean seagrass**
- Genetic polymorphism and transplantation success in the Mediterranean seagrass *Posidonia oceanica*** (Procaccini and Piazzi), 332
- Microbial biomass carbon; see Carbon**
- Microfungi**
- Soil microfungi in two post-mining chronosequences with different vegetation types** (Nováková), 351
- Millipedes**
- Colonization of colliery spoil heaps by millipedes (Diplopoda) and terrestrial isopods (Oniscidea) in the Sokolov Region, Czech Republic** (Tajovský), 365
- Mining**
- Colonization of colliery spoil heaps by millipedes (Diplopoda) and terrestrial isopods (Oniscidea) in the Sokolov Region, Czech Republic** (Tajovský), 365
- Earthworm succession in afforested colliery spoil heaps in the Sokolov Region, Czech Republic** (Pižl), 359
- Ecology of post-mining landscapes** (Hüttl and Bradshaw), 339
- A germination and establishment field trial of *Themeda australis* (Kangaroo grass) for mine site restoration in the Central Tablelands of New South Wales (Windsor and Clements)**, 104
- Microbial biomass-c in reclaimed soil of the Rhineland (Germany) and the north Bohemian lignite mining areas (Czech Republic): measured and predicted values** (Růžek et al), 370
- Shrubland restoration following woody alien invasion and mining: effects of topsoil depth, seed source, and fertilizer addition** (Holmes), 71
- Soil algae in brown coal and lignite post-mining areas in central Europe (Czech Republic and Germany)** (Lukešová), 341
- Soil microfungi in two post-mining chronosequences with different vegetation types** (Nováková), 351
- Soil seed bank as an input of seed source in revegetation of lead/zinc mine tailings** (Zhang et al), 378
- Soil water retention on gold mine**

- surfaces in the Mojave Desert (Walker and Powell), 95
- Minnesota**
Comparing the importance of seedbed and canopy type in the restoration of upland *Thuja occidentalis* forests of northeastern Minnesota (Cornett et al), 386
- Mojave Desert**
Soil water retention on gold mine surfaces in the Mojave Desert (Walker and Powell), 95
- Mountains**
Establishment of transplants on machine-graded ski runs above timberline in the Swiss Alps (Fattorini), 119
- Nature valuation**
Valuation of nature in conservation and restoration (Swart et al), 230
- Netherlands**
Degraded softwater lakes: possibilities for restoration (Brouwer and Roelofs), 155
Problems, approaches, and results in restoration of Dutch calcareous grassland during the last 30 years (Willems), 147
- New South Wales**
A germination and establishment field trial of *Themeda australis* (Kangaroo grass) for mine site restoration in the Central Tablelands of New South Wales (Windersor and Clements), 104
- New Zealand**
Ecological restoration of native forest at Aratiatia, North Island, New Zealand (Smale et al), 28
- Niagara Falls**
Natural recovery and restoration potential of severely disturbed talus vegetation at Niagara Falls: assessment using a reference system (de Gruchy et al), 311
- Nitrogen**
Influence of nutrient availability on the interaction between spotted knapweed and bluebunch wheatgrass (Herron et al), 326
- Oak trees**
Determining the pattern of oak woodland regeneration for a cleared watershed in northwest California: a necessary first step for restoration (Brooks and Merenlender), 1
- pH**
The use of mixtures of sulfur and bracken litter to reduce pH of former arable soils and control ruderal species (Owen and Marrs), 397
- Phosphorus**
Influence of nutrient availability on the interaction between spotted knapweed and bluebunch wheatgrass (Herron et al), 326
- Phragmites australis***
Common reed *Phragmites australis*: control and effects upon biodiversity in freshwater nontidal wetlands (Ailstock et al), 49
- Pine trees**
Butterfly response to microclimatic conditions following ponderosa pine restoration (Meyer and Sisk), 453
Effects of hardwood reduction techniques on longleaf pine sandhill vegetation in northwest Florida (Provencher et al), 13
Herpetofaunal responses to restoration treatments of longleaf pine sandhills in Florida (Litt et al), 462
Microclimatic changes induced by ecological restoration of ponderosa pine forest in northern Arizona (Meyer et al), 443
Modeling ecological restoration effects on ponderosa pine forest structure (Covington et al), 421
- Plants**
Influence of nutrient availability on the interaction between spotted knapweed and bluebunch wheatgrass (Herron et al), 326
Restoration ecology of an endangered plant species: establishment of new populations of *Cirsium pitcheri* (Rowland and Maun), 60
- Ponderosa pine trees**
Butterfly response to microclimatic conditions following ponderosa pine restoration (Meyer and Sisk), 453
Microclimatic changes induced by ecological restoration of ponderosa pine forest structure (Covington et al), 421
- Rosa pine forest in northern Arizona (Meyer et al), 443**
Modeling ecological restoration effects on ponderosa pine forest structure (Covington et al), 421
- Posidonia oceanica***
Genetic polymorphism and transplantation success in the Mediterranean seagrass *Posidonia oceanica* (Procaccini and Piazzesi), 332
- Prairie**
Effects of established perennial grasses on introduction of native forbs in California (Brown and Bugg), 38
- Quarries**
Ecological and landscape rehabilitation of a quarry site in Hong Kong (Jim), 85
- Redwood trees**
Spiders and other arthropods as indicators in old-growth versus logged redwood stands (Willett), 410
- Restoration ecology**
Ecological restoration: state of the art or state of the science? (van Diggelen et al), 115
Restoration ecology: repairing the Earth's ecosystems in the new millennium (Hobbs and Haries), 239
Some remarks on the socio-cultural background of restoration ecology (Pfadenhauer), 220
Valuation of nature in conservation and restoration (Swart et al), 230
- Rice**
Restoration of wetlands from abandoned rice fields for nutrient removal, and biological community and landscape diversity (Comín et al), 201
- Sandhills**
Effects of hardwood reduction techniques on longleaf pine sandhill vegetation in northwest Florida (Provencher et al), 13
Herpetofaunal responses to restoration treatments of longleaf pine sandhills in Florida (Litt et al), 462
- Seagrasses**
Genetic polymorphism and transplantation success in the Mediterranean seagrass *Posidonia oceanica* (Procaccini and Piazzesi), 332

- plantation success in the Mediterranean seagrass *Posidonia oceanica* (Procaccini and Piazz), 332
- Seedbeds**
- Comparing the importance of seedbed and canopy type in the restoration of upland *Thuja occidentalis* forests of northeastern Minnesota (Cornett et al), 386
- Seeds**
- Effects of established perennial grasses on introduction of native forbs in California (Brown and Bugg), 38
- A germination and establishment field trial of *Themeda australis* (Kangaroo grass) for mine site restoration in the Central Tablelands of New South Wales (Windsor and Clements), 104
- Restoration ecology of an endangered plant species: establishment of new populations of *Cirsium pitcheri* (Rowland and Maun), 60
- Restoration of wet dune slacks on the Dutch Wadden Sea Islands: recolonization after large-scale sod cutting (Grootjans et al), 137
- Shrubland restoration following woody alien invasion and mining: effects of topsoil depth, seed source, and fertilizer addition (Holmes), 71
- Soil seed bank as an input of seed source in revegetation of lead/zinc mine tailings (Zhang et al), 378
- Shrublands**
- Shrubland restoration following woody alien invasion and mining: effects of topsoil depth, seed source, and fertilizer addition (Holmes), 71
- Ski runs**
- Establishment of transplants on machine-graded ski runs above timberline in the Swiss Alps (Fattorini), 119
- Sod cutting**
- Restoration of wet dune slacks on the Dutch Wadden Sea Islands: recolonization after large-scale sod cutting (Grootjans et al), 137
- Soil**
- Colonization of colliery spoil heaps by millipedes (Diplopoda) and terrestrial isopods (Oniscidea) in the Sokolov Region, Czech Republic (Tajovský), 365
- Earthworm succession in afforested colliery spoil heaps in the Sokolov Region, Czech Republic (Pižl), 359
- Microbial biomass-c in reclaimed soil of the Rhineland (Germany) and the north Bohemian lignite mining areas (Czech Republic): measured and predicted values (Růžek et al), 370
- Restoration of a *Cirsio-Molinietum* fen meadow on an agriculturally improved pasture (Tallowin and Smith), 167
- Restoration of wet fen meadows by topsoil removal: vegetation development and germination biology of fen species (Patzelt et al), 127
- Shrubland restoration following woody alien invasion and mining: effects of topsoil depth, seed source, and fertilizer addition (Holmes), 71
- Soil algae in brown coal and lignite post-mining areas in central Europe (Czech Republic and Germany) (Lukešová), 341
- Soil microfungi in two post-mining chronosequences with different vegetation types (Nováková), 351
- Soil seed bank as an input of seed source in revegetation of lead/zinc mine tailings (Zhang et al), 378
- Soil water retention on gold mine surfaces in the Mojave Desert (Walker and Powell), 95
- The use of mixtures of sulfur and bracken litter to reduce pH of former arable soils and control ruderal species (Owen and Marrs), 397
- Spiders**
- Spiders and other arthropods as indicators in old-growth versus logged redwood stands (Willett), 410
- Spotted knapweed**
- Influence of nutrient availability on the interaction between spotted knapweed and bluebunch wheatgrass (Herron et al), 326
- State of the art**
- Ecological restoration: state of the art or state of the science? (van Diggelen et al), 115
- Stylophora pistillata**
- Strategies for gardening denuded coral reef areas: the applicability of using different types of coral material for reef restoration (Epstein et al), 432
- Sulfur**
- The use of mixtures of sulfur and bracken litter to reduce pH of former arable soils and control ruderal species (Owen and Marrs), 397
- Switzerland**
- Establishment of transplants on machine-graded ski runs above timberline in the Swiss Alps (Fattorini), 119
- Symposium**
- Colonization of colliery spoil heaps by millipedes (Diplopoda) and terrestrial isopods (Oniscidea) in the Sokolov Region, Czech Republic (Tajovský), 365
- Earthworm succession in afforested colliery spoil heaps in the Sokolov Region, Czech Republic (Pižl), 359
- Ecology of post-mining landscapes (Hüttl and Bradshaw), 339
- Microbial biomass-c in reclaimed soil of the Rhineland (Germany) and the north Bohemian lignite mining areas (Czech Republic): measured and predicted values (Růžek et al), 370
- Soil algae in brown coal and lignite post-mining areas in central Europe (Czech Republic and Germany) (Lukešová), 341
- Soil microfungi in two post-mining chronosequences with different vegetation types (Nováková), 351
- Talus slope**
- Natural recovery and restoration potential of severely disturbed talus vegetation at Niagara Falls:

- assessment using a reference system (de Gruchy et al), 311
- Terrestrial isopods**
Colonization of colliery spoil heaps by millipedes (Diplopoda) and terrestrial isopods (Oniscidea) in the Sokolov Region, Czech Republic (Tajovský), 365
- Themed australis**
A germination and establishment field trial of *Themed australis* (Kangaroo grass) for mine site restoration in the Central Tablelands of New South Wales (Windsor and Clements), 104
- Thuja occidentalis**
Comparing the importance of seedbed and canopy type in the restoration of upland *Thuja occidentalis* forests of northeastern Minnesota (Cornett et al), 386
- Topsoil; see Soil**
- Transplantation**
Establishment of transplants on machine-graded ski runs above timberline in the Swiss Alps (Fattorini), 119
- Genetic polymorphism and transplantation success in the Mediterranean seagrass *Posidonia oceanica* (Procaccini and Piazzesi), 332
- Trees**
Achieving restoration success: myths in bottomland hardwood forests (Stanturf et al), 189
- Butterfly response to microclimatic conditions following ponderosa pine restoration (Meyer and Sisk), 453
- Comparing the importance of seedbed and canopy type in the restoration of upland *Thuja occidentalis* forests of northeastern Minnesota (Cornett et al), 386
- Determining the pattern of oak woodland regeneration for a cleared watershed in northwest California: a necessary first step for restoration (Brooks and Mernlender), 1
- Ecological restoration of native forest at Aratiatia, North Island, New Zealand (Smale et al), 28
- Effects of hardwood reduction techniques on longleaf pine sandhill vegetation in northwest Florida (Provencher et al), 13
- Herpetofaunal responses to restoration treatments of longleaf pine sandhills in Florida (Litt et al), 462
- Microclimatic changes induced by ecological restoration of ponderosa pine forest in northern Arizona (Meyer et al), 443
- Modeling ecological restoration effects on ponderosa pine forest structure (Covington et al), 421
- Spiders and other arthropods as indicators in old-growth versus logged redwood stands (Willet), 410
- Turtles**
Estimating the effects of beach nourishment on *Caretta caretta* (loggerhead sea turtle) nesting (Rumbold et al), 304
- Urbanization**
Restoration of fragmented landscapes for the conservation of birds: a general framework and specific recommendations for urbanizing landscapes (Marzluff and Ewing), 280
- Valuation of nature**
Valuation of nature in conservation and restoration (Swart et al), 230
- Vapor pressure deficit**
Butterfly response to microclimatic conditions following ponderosa pine restoration (Meyer and Sisk), 453
- Microclimatic changes induced by ecological restoration of ponderosa pine forest in northern Arizona (Meyer et al), 443
- Vegetation**
Influence of nutrient availability on the interaction between spotted knapweed and bluebunch wheatgrass (Herron et al), 326
- Natural recovery and restoration potential of severely disturbed talus vegetation at Niagara Falls: assessment using a reference system (de Gruchy et al), 311
- Restoration ecology of an endangered plant species: establishment of new populations of *Cirsium pitcheri* (Rowland and Maun), 60
- Restoration of natural and semi-natural wetland systems in Central Europe: progress and predictability of developments (Klötzli and Grootjans), 209
- Water**
Degraded softwater lakes: possibilities for restoration (Brouwer and Roelofs), 155
- Soil water retention on gold mine surfaces in the Mojave Desert (Walker and Powell), 95
- Wetlands**
Achieving restoration success: myths in bottomland hardwood forests (Stanturf et al), 189
- Common reed *Phragmites australis*: control and effects upon biodiversity in freshwater nontidal wetlands (Ailstock et al), 49
- Restoration of natural and semi-natural wetland systems in Central Europe: progress and predictability of developments (Klötzli and Grootjans), 209
- Restoration of wetlands from abandoned rice fields for nutrient removal, and biological community and landscape diversity (Comín et al), 201
- Wildlife**
Design and implementation of monitoring studies to evaluate the success of ecological restoration on wildlife (Block et al), 293
- Estimating the effects of beach nourishment on *Caretta caretta* (loggerhead sea turtle) nesting (Rumbold et al), 304
- Introduction: concepts of wildlife and wildlife habitat for ecological restoration (Morrison), 251
- Linking habitat restoration to meaningful units of animal demography (Smallwood), 253
- The need for strategic planning in passive restoration of wildlife populations (Scott et al), 262
- Restoration of fragmented landscapes for the conservation of birds: a general framework and specific recommendations for

urbanizing landscapes (Marzluff and Ewing), 280

Restoration of wetlands from abandoned rice fields for nutrient removal, and biological community and landscape diversity (Comín et al), 201

Spatial and temporal considerations in restoring habitat for wildlife (George and Zack), 272

Woodlands; see Forests

Worms

Earthworm succession in afforested colliery spoil heaps in the

Sokolov Region, Czech Republic (Pižl), 359

Zinc

Soil seed bank as an input of seed source in revegetation of lead/zinc mine tailings (Zhang et al), 378

STATEMENT OF OWNERSHIP, MANAGEMENT, AND CIRCULATION (Required by 39 U.S.C. 3685)					
1. Publication Title	2. Publication No.	3. Filing Date			
Restoration Ecology	13-116	9/15/2001			
4. Issue Frequency	5. No. of Issues Published	6. Annual Subscription Price			
Quarterly	Annually	\$ 120.00 Individual \$ 245.00 Institutional			
7. Complete Mailing Address of Known Office of Publication (Street, City, County, State, and ZIP+4) <i>(Not Printer)</i> Blackwell Science Inc., Commerce Place, 350 Main Street, Malden, MA 02148-5018					
8. Complete Mailing Address of Headquarters or General Business Office of Publisher (Not Printer) Blackwell Science Inc., Commerce Place, 350 Main Street, Malden, MA 02148-5018					
9. Full Name and Complete Mailing Addresses of Publisher, Editor, and Managing Editor (Do Not Leave Blank) Publisher (Name and Complete Mailing Address)					
Blackwell Science, Inc. Commerce Place, 350 Main Street Malden MA 02148-5018					
Editor (Name and Complete Mailing Address)					
Edith B Allen Department of Botany & Plant Science University of California, Riverside Batchelor Hall 2132 Riverside CA 92521-0124					
Managing Editor (Name and Complete Mailing Address)					
Sheila N Kee Department of Botany & Plant Science University of California, Riverside Batchelor Hall 2132 Riverside CA 92521-0124					
10. Owner (If owned by a corporation, its name and address must be stated and also immediately thereafter the names and addresses of stockholders owning or holding 1 percent or more of the total amount of stock. If not owned by a corporation, the names and addresses of individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Do not leave blank.)					
Full Name and Address Society of Ecological Restoration 1955 West Grant Road #150 Tucson AZ 85745					
11. Known Bondholders, Mortgagors, and Other Security Holders Owning or Holding 1 Percent or More of the Total Amount of Bonds, Mortgages, or Other Securities. If none, check here. <input checked="" type="checkbox"/> None Full Name and Complete Mailing Address					
12. Tax Status (For completion by nonprofit organizations authorized to mail at special rates. Check one. The purposes, function, and nonprofit status of this organization and the exempt status for federal income tax purposes. (Check one)) <input type="checkbox"/> Has not Changed During Preceding 12 Months <input type="checkbox"/> Has Changed During Preceding 12 Months <small>(If changed, publisher must submit explanation of change with this statement)</small>					
13. Publication Name					
14. Issue Date for Circulation Data Below					
9/2 June 2001					
Restoration Ecology					
15. Extent and Nature of Circulation					
Average No. Copies Each Issue During Preceding 12 Months					
Actual No. Copies Of Single Issue Published Nearest to Filing Date					
a. Total No. Copies (Net Press Run) 3058 2720					
(1) Paid/Requested Outside-County Mail Subscriptions Stated on Form 3541. (Included advertiser's proof and exchange copies). 1627 1536					
(2) Paid In-County Subscriptions Stated on Form 3541 (Include advertiser's proof and exchange Copies) 0 0					
(3) Sales Through Dealers and Carriers, Street Vendors, Counter Sales, and Other Non-USPS Paid Distribution 0 0					
(4) Other Classes Mailed Through the USPS 318 301					
c. Total Paid and/or Requested Circulation [Sum of 15a, (1), (2), (3) and (4)] 1945 1837					
d. Free Distribution by Mail					
(1) Outside-County as Stated on Form 3541 49 49					
(Samples, complimen- tary, and other free). 0 0					
(3) Other Classes Mailed Through the USPS 14 14					
e. Free Distribution Outside the Mail: (Carriers or Other Means) 23 22					
f. Total Free Distribution (Sum of 15d and 16a) 86 85					
g. Total Distribution (Sum of 15c and 16b) 2031 1922					
h. Copies Not Distributed 1027 796					
i. Total (Sum of 15g, and h) 3058 2720					
j. Percent Paid, Percent Paid and/or Requested Circulation (15c or 15g/16b) 96% 96%					
16. This Statement of Ownership will be printed in the December 2001 issue of this publication. <input type="checkbox"/> Check here if not required to publish.					
17. Signature and Title of Editor, Publisher, Business Manager, or Owner					
Date					
Barbara Sasso, Customer Service Manager Blackwell Science 9/25/2001					
I certify that all information furnished on this form is true and complete. I understand that anyone who furnishes false or misleading information on this form or who omits material or information requested on the form may be subject to criminal sanctions (including fines and imprisonment) and/or civil sanctions (including multiple damages and civil penalties). Failure to file or publish a statement of ownership may lead to suspension of second-class authorization.					
PS Form 3628 October 1999 (Facsimile)					